Eyecos Clinic
Avenida Diagonal, 415. 1°
08008 Barcelona (Spain)

Telf: +34 938 10 22 50
Email: info@eyecos.eu
Web: eyecos.eu

NEWEYESLASER / BY EYECOS

AFTER FINISHING LASER SESSIONS

- **Put 1 drop of Timabak 5mg, Dicloabak and Simbrinza 3 times/day during 10 days**
- **Put 1 drop of Tropicamida just before going to sleep for 2 nights**
- **Call to doctor: +34 696551011**

FOR3-4 MONTHS

- **Put Hyloparin 3-4 times/day**

TWO MONTHS AFTER LASER

- **Send eye photos to check by App Eye Selfie**
- **Ask for next step & appointment by email info@eyecos.eu**

DESPUÉS DE FINALIZAR LAS SESIONES DE LÁSER

- **Aplicar 1 gota de Timabak 5 mg, Dicloabak y Simbrinza 3 veces al día durante 10 días**
- **Aplicar 1 gota de Tropicamida justo antes de ir a dormir durante 2 noches**
- **Llamar al médico: +34 696 551 011**

DURANTE 3–4 MESES

- **Aplicar Hyloparin 3–4 veces al día**

DOS MESES DESPUÉS DEL LÁSER

- **Enviar fotos de los ojos para revisión mediante la app Eye Selfie**
- **Solicitar el siguiente paso y la cita por email: info@eyecos.eu**

APRÈS AVOIR TERMINÉ LES SÉANCES DE LASER

- **Mettre 1 goutte de Timabak 5 mg, Dicloabak et Simbrinza 3 fois par jour pendant 10 jours**
- **Mettre 1 goutte de Tropicamide juste avant d'aller dormir pendant 2 nuits**
- **Appeler le médecin : +34 696 551 011**

PENDANT 3–4 MOIS

- **Mettre Hyloparin 3–4 fois par jour**

DEUX MOIS APRÈS LE LASER

- **Envoyer des photos des yeux pour contrôle via l'application Eye Selfie**
- **Demander la prochaine étape et le rendez-vous par email : info@eyecos.eu**